



## Novel Allotropes of Tetrel Elements



Zinc as a Versatile Connecting Atom for Zintl Cluster Oligomers

K. Mayer, W. Klein, T. F. Fässler


*Chem. Commun.* 55 (2019), 12156–12159 (DOI: [10.1039/C9CC06388A](https://doi.org/10.1039/C9CC06388A))



Silicon clusters with six and seven unsubstituted vertices via a two-step reaction from elemental silicon


L. J. Schiegerl, A. J. Karttunen, W. Klein, T. F. Fässler

*Chem. Sci.* 10 (2019), 9130–9139 (DOI: [10.1039/C9SC03324F](https://doi.org/10.1039/C9SC03324F))



Silylated  $\text{Ge}_9$  Clusters as New Ligands for Cyclic (Alkyl)amino and Mesoionic Carbene Copper Complexes


L. J. Schiegerl, M. Melaimi, D. R. Tolentino, W. Klein, G. Bertrand, T. F. Fässler  
*Inorg. Chem.* 58 (2019), 3256–3264 (DOI: [10.1021/acs.inorgchem.8b03338](https://doi.org/10.1021/acs.inorgchem.8b03338))



Early-Transition-Metal Complexes of Functionalized Nonagermanide Clusters: Synthesis and Characterization of  $[\text{Cp}_2(\text{MeCN})\text{Ti}(\eta^1-\text{Ge}_9\{\text{Si}(\text{TMS})_3\}_3)]$  and  $\text{K}_3[\text{Cp}_2\text{Ti}(\eta^1-\text{Ge}_9\{\text{Si}(\text{TMS})_3\}_2)_2]$

F. S. Geitner, W. Klein, O. Storcheva, T. D. Tilley, T. F. Fässler

*Inorg. Chem.* 58 (2019), 13293–13298 (DOI: [10.1021/acs.inorgchem.9b02158](https://doi.org/10.1021/acs.inorgchem.9b02158))



Enhancing the Variability of  $[\text{Ge}_9]$  Cluster Chemistry through Phosphine Functionalization

C. Wallach, F. S. Geitner, W. Klein, T. F. Fässler


*Chem. Eur. J.* 25 (2019), 12349–12356 (DOI: [10.1002/chem.201901673](https://doi.org/10.1002/chem.201901673))



Anionic Siliconoids from Zintl Phases:  $\text{R}_3\text{Si}_9^-$  with Six and  $\text{R}_2\text{Si}_9^{2-}$  with Seven Unsubstituted Exposed Silicon Cluster Atoms ( $\text{R} = \text{Si}^{\prime}\text{Bu}_2\text{H}$ )

L. J. Schiegerl, A. J. Karttunen, W. Klein, T. F. Fässler

*Chem. Eur. J.* 24 (2018), 19171–19174 (DOI: [10.1002/chem.201805442](https://doi.org/10.1002/chem.201805442))




Charged  $\text{Si}_9$  Clusters in Neat Solids and the Detection of  $[\text{H}_2\text{Si}_9]^{2-}$  in Solution: A Combined NMR, Raman, Mass Spectrometric, and Quantum Chemical Investigation

L. J. Schiegerl, A. J. Karttunen, J. Tillmann, S. Geier, G. Raudaschl-Sieber,


M. Waibel, T. F. Fässler

*Angew. Chem.* 130 (2018), 13132–13137 (DOI: [10.1002/ange.201804756](https://doi.org/10.1002/ange.201804756))


*Angew. Chem. Int. Ed.* 57 (2018), 12950–12955 (DOI: [10.1002/anie.201804756](https://doi.org/10.1002/anie.201804756))




*Challenges in Chemical Synthesis at the Border of Solution-Based and Solid State Chemistry - Synthesis and Structure of  $\{[(Me_3Si)_3Si]Ge_9(CH_2CH_3)\}^{2-}$*   
*S. Frischhut, W. Klein, T. F. Fässler*  
*C. R. Chim. 21 (2018), 932–937 (DOI: [10.1016/j.crci.2018.04.007](https://doi.org/10.1016/j.crci.2018.04.007))*




*Predicted Siliconoids by Bridging Si<sub>9</sub> Clusters through sp<sup>3</sup>-Si Linkers*  
*L.-A. Jantke, T. F. Fässler*  
*Inorganics 6 (2018), 31 (DOI: [10.3390/inorganics6010031](https://doi.org/10.3390/inorganics6010031))*



*Radical-Initiated and Thermally Induced Hydrogermylation of Alkenes on the Surfaces of Germanium Nanosheets*  
*H. Yu, T. Helbich, L. M. Scherf, J. Chen, K. Cui, T. F. Fässler, B. Rieger, J. G. C. Veinot*  
*Chem. Mater. 30 (2018), 2274–2280 (DOI: [10.1021/acs.chemmater.7b04974](https://doi.org/10.1021/acs.chemmater.7b04974))*




*Cover Profile:*  
*Slicing Diamond for more sp<sup>3</sup> Group 14 allotropes reaching from direct band gaps to poor metals*  
*L.-A. Jantke, A. J. Karttunen, T. F. Fässler*  
*ChemPhysChem 18 (2017), 1960 (DOI: [10.1002/cphc.201700799](https://doi.org/10.1002/cphc.201700799))*



*Slicing Diamond for more sp<sup>3</sup> Group 14 allotropes reaching from direct band gaps to poor metals*  
*L.-A. Jantke, A. J. Karttunen, T. F. Fässler*  
*ChemPhysChem 18 (2017), 1992–2006 (DOI: [10.1002/cphc.201700290](https://doi.org/10.1002/cphc.201700290))*




*Electrochemical Synthesis of the Allotrope allo-Ge and Investigations on the Use as an Anode Material*  
*L. M. Scherf, J. Hattendorf, I. Buchberger, S. Geier, H. A. Gasteiger, T. F. Fässler*  
*J. Mater. Chem. A 5 (2017), 11179–11187 (DOI: [10.1039/C7TA03164E](https://doi.org/10.1039/C7TA03164E))*




*Slicing Diamond – A guide to Deriving  $sp^3$ -Si Allotropes*  
 L.-A. Jantke, S. Stegmaier, A. J. Karttunen, T. F. Fässler  
*Chem. Eur. J.* 23 (2017), 2734–2747 (DOI: [10.1002/chem.201603406](https://doi.org/10.1002/chem.201603406))




*Radical-Induced Hydrosilylation Reactions for the Functionalization of Two-Dimensional Hydride Terminated Silicon Nanosheets*  
 T. Helbich, A. Lyuleeva, I. M. D. Hohlein, P. Marx, L. M. Scherf, J. Kehrle, T. F. Fässler, P. Lugli, B. Rieger  
*Chem. Eur. J.* 22 (2016), 6194–6198 (DOI: [10.1002/chem.201505134](https://doi.org/10.1002/chem.201505134))




*Silicon Nanoparticles by the Oxidation of  $[Si_4]^{4-}$  - and  $[Si_9]^{4-}$ -Containing Zintl Phases and Their Corresponding Yield*  
 B. M. Nolan, T. Henneberger, M. Waibel, T. F. Fässler, S. M. Kauzlarich  
*Inorg. Chem.* 54 (2015), 396–401 (DOI: [10.1021/ic5027398](https://doi.org/10.1021/ic5027398))



*Alkali metal extraction reactions with the silicides  $Li_{15}Si_4$  and  $Li_3NaSi_6$ : amorphous Si versus allo-Si*  
 M. Zeilinger, L.-A. Jantke, L. M. Scherf, F. J. Kiefer, G. Neubüser, L. Kienle, A. J. Karttunen, S. Konar, U. Häussermann, T. F. Fässler  
*Chem. Mater.* 26 (2014), 6603–6612 (DOI: [10.1021/cm503371e](https://doi.org/10.1021/cm503371e))



*Thermochemistry, Morphology, and Optical Characterization of Germanium Allotropes*  
 J. V. Zaikina, E. Muthuswamy, K. I. Liova, Z. M. Gibbs, M. Zeilinger, G. J. Snyder, T. F. Fässler, A. Navrotsky, S. M. Kauzlarich  
*Chem. Mater.* 26 (2014), 3263–3271 (DOI: [10.1021/cm5010467](https://doi.org/10.1021/cm5010467))



*Single crystal growth and thermodynamic stability  $Li_{17}Si_4$*   
 M. Zeilinger, D. Benson, U. Häussermann, T. F. Fässler  
*Chem. Mater.* 25 (2013), 1960–1967 (DOI: [10.1021/cm400612k](https://doi.org/10.1021/cm400612k))