


Publikationsliste Prof. T. F. Fässler (2019-2024)




Large Number of Direct or Pseudo-Direct Band Gap Semiconductors among A₃TrPn₂ Compounds with A = Li, Na, K, Rb, Cs; Tr = Al, Ga, In; Pn = P, As

S. Zeitz, Y. Kuznetsova, T. F. Fässler

Molecules 2024, 29(17), 4087

DOI: [10.3390/molecules29174087](https://doi.org/10.3390/molecules29174087)




Synthesis, Structure and Catalytic Properties of Hyp₃[Ge₉Rh]PPh₃

N. S. Willeit, V. Hlukhyy, T. F. Fässler

Z. anorg. allg. Chem. (2024) e202400171

DOI: [10.1002/zaac.202400171](https://doi.org/10.1002/zaac.202400171)




Na₃Ge₂P₃: A Zintl Phase Featuring [P₃Ge–GeP₃] Dimers as Building Blocks

M. Botta, S. Zeitz, W. Klein, G. Raudaschl-Sieber, T. F. Fässler

Inorg. Chem. 63(2024), 43, 20108-20116

DOI: [10.1021/acs.inorgchem.4c00287](https://doi.org/10.1021/acs.inorgchem.4c00287)




Direct Band Gap Semiconductors with Two- and Three-Dimensional Triel-Phosphide Frameworks (Triel=Al, Ga, In)

T. M. F. Restle, S. Zeitz, P. M. Stanley, A. J. Karttunen, J. Meyer, G.

Raudaschl-Sieber, W. Klein, T. F. Fässler

Chem. Eur. J. 30(2024), e202304097

DOI: [10.1002/chem.202304097](https://doi.org/10.1002/chem.202304097)




Open Sn Framework Structure Hosting Bi Guest atoms – Synthesis, Crystal and Electronic Structure of Na₁₃Sn₂₆Bi


S. Zeitz, M. Boykoa, S. Ponou, V. Hlukhyy, T. F. Fässler

Chem. Eur. J. (2024) e202403592

DOI: [10.1002/chem.202403592](https://doi.org/10.1002/chem.202403592)




Electronic Structure Analysis of the $A_{10}Tt_2P_6$ System ($A = Li - Cs$; $Tt = Si, Ge, Sn$) and Synthesis of the Direct Band Gap Semiconductor $K_{10}Sn_2P_6$
 S. Zeitz, H. Antoniuka, V. Hlukhyy, T.F. Fässler
Chem. Eur. J. 30 (2024) e202400002
 DOI: [10.1002/chem.202400002](https://doi.org/10.1002/chem.202400002)




Synthesis, Crystal structure, electronic structure, and Raman spectra of $Li_4Sr_2SiP_4$
 V. Daiber, S. Zeitz, V. Hlukhyy, D. Dankert, T. F. Fässler
Z. Anorg. Allg. Chem. (2024) e202300244
 DOI: [10.1002/zaac.202300244](https://doi.org/10.1002/zaac.202300244)




Dendritic Copper Current Collectors as a Capacity Boosting Material for Polymer-Templated Si/Ge/C Anodes in Li-Ion Batteries
 C. L. Weindl, C. E. Fajman, Z. Xu, T. Zheng, G. E. Möhl, Na. Chaulagain, K. Shankar, R. Gilles T. F. Fässler, P. Müller-Buschbaum
ACS Appl. Mater. Interfaces 16 (2024) 2309–2318
 DOI: [10.1021/acsami.3c15735](https://doi.org/10.1021/acsami.3c15735)




Functionalised $NiGe_9$ clusters as homogeneous single site catalysts
 N. S. Willeit, W. Klein, P. Coburger, E. Fritz-Langhals, T. F. Fässler
ChemCatChem (2023) e202301200
 DOI: [10.1002/cctc.202301200](https://doi.org/10.1002/cctc.202301200)




125 Years Eduard Zintl
 T.F. Fässler
Z. Anorg. Allg. Chem. (2023) e202300227
 DOI: [10.1002/zaac.202300227](https://doi.org/10.1002/zaac.202300227)



Probing Charge-Transfer Processes in a Covalently Linked $[Ge_9]$ -Cluster Imine Dyad
 C. Wallach, Y. Selic, F. S. Geitner, A. Kumar, E. Thyraug, J. Hauer, A. J. Karttunen, T. F. Fässler
Angew. Chem. Int. Ed. (2023) e202304088
 (DOI: doi.org/10.1002/anie.202304088)




Synthesis, Structure and Physical Properties of the Sodium-Rich Phosphidogermanate Na_8GeP_4
 M. Botta, S. Zeitz, T. F. Fässler
Z. Anorg. Allg. Chem. 649 (2023) e202300166.
 (DOI: doi.org/10.1002/zaac.202300166)




K7In4As6 and K3InAs2 - Two more Zintl phases showing the rich variety of In-As polyanion structures

M. Boyko, V. Hlukhyi, T. F. Fässler
Z. Anorg. Allg. Chem. (2023) e202300164
 (DOI: doi.org/10.1002/zaac.202300164)




Toluene-mediated morphology tuning of diblock copolymer templated porous Si/Ge/C thin films for Li-ion batteries

C. L. Weindl, K. Wu, C. E. Fajman, Z. Xu, T. Zheng, T. Tian, C. Harder, B. Sochor, S. V. Roth, T. F. Fässler, P. Müller-Buschbaum
Adv. Energy Sustainability Res. 4 (2023) 2300096
 (DOI: doi.org/10.1002/aesr.202300096)




The mechanism of Li ion migration in the superionic conducting open framework structure $\text{Li}_6\text{B}_{18}(\text{Li}_3\text{N})_{1-x}(\text{Li}_2\text{O})_x$ ($0 \leq x \leq 1$).

R. J. Spranger, H. Kirchhain, T. M. F. Restle, J. V. Dums, A. J., Karttunen, L. van Wüllen, T. F. Fässler
Phys. Chem. C 127 (2023) 1622–1632
 (DOI: doi.org/10.1021/acs.jpcc.2c06839)




Lithium Ion Mobility in $\text{Li}_6\text{B}_{18}(\text{Li}_3\text{N})$ and Li Vacancy Tuning in the Solid Solution $\text{Li}_6\text{B}_{18}(\text{Li}_3\text{N})_{1-x}(\text{Li}_2\text{O})_x$

T. M. F. Restle, L. Scherf, J. V. Dums, A. G. Mutschke, R. J. Spranger, H. Kirchhain, A. J. Karttunen, L. van Wüllen, T. F. Fässler
Angew. Chem. Int. Ed. 62 (2023) e202213962
 (DOI: doi.org/10.1002/anie.202213962)




Crystal Structure of Undecacalcium decaarsenide, $\text{Ca}_{11}\text{As}_{10}$.

A. V. Hoffmann, T. F. Fässler, V. Hlukhyi
Z. Kristallogr. - N. Cryst. Struct. 238 (2023) 1–3.
 (DOI: doi.org/10.1515/NCRS-2022-0380)



Structural characteristics of mixed nido- $[\text{Si}_{9-x}\text{Ge}_x]^{4-}$ ($x = 1, 2$) Zintl clusters in solution and within solvent crystals


L.-A. Jantke A. J. Karttunen, T. F. Fässler
Z. Anorg. Allg. Chem. 684 (2022) e202200276
 (DOI: doi.org/10.1002/zaac.202200276)



Chemi-Inspired Silicon Allotropes—Experimentally Accessible Si_9 Cages as Proposed Building Block for 1D Polymers, 2D Sheets, Single-Walled Nanotubes, and Nanoparticles

L.-A. Jantke, A. J. Karttunen, T. F. Fässler


Molecules 27 (2022) 822. (DOI: doi.org/10.3390/molecules27030822)



Super-Ionic Conductivity in $\omega\text{-Li}_9\text{TrP}_4$ (Tr = Al, Ga, In) and Lithium Diffusion Pathways in Li_9AlP_4 Polymorphs

T. M. F. Restle, S. Strangmüller, V. Baran, A. Senyshyn, H. Kirchhain, W. Klein, S. Merk, D. Müller, T. Kutsch, L. van Wüllen, T. F. Fässler


Adv. Funct. Mat. 32 (2022) 2112377. (DOI: doi.org/10.1002/adfm.202112377)



Oxidative Coupling of Silylated Nonagermanide Clusters

C. Wallach, W. Klein, T. F. Fässler


Chem. Commun. 58 (2022) 5486–5489 (DOI: doi.org/10.1039/d2cc01250b)



Effect of Solvent Vapor Annealing on Diblock Copolymer-Templated Mesoporous Si/Ge/C Thin Films: Implications for Li-Ion Batteries

C. L. Weindl, C. E. Fajman, M. A. Giebel, K. S. Wienhold, S. Yin, T. Tian, C. Geiger, L. P. Kreuzer, M. Schwartzkopf, S. V. Roth, T. F. Fässler, P. Müller-Buschbaum


ACS Appl. Nano Mater. 5 (2022) 7278–7287 (DOI: doi.org/10.1021/acsnm.2c01191)



$\text{Ca}_{14}\text{FeAs}_{11}$ – A structure comprising structural motifs of iron-based superconductors and Ca-As Zintl phases

A. V. Hoffmann, T. F. Fässler, V. Hlukhyy


Z. Anorg. Allg. Chem. 648 (2022) (DOI: doi.org/10.1002/zaac.202200168)



Nonagermanide Zintl Clusters with Mg^{2+} Counter Ions

C. Wallach, W. Klein, T. F. Fässler


Z. Anorg. Allg. Chem. 648 (2022) (DOI: doi.org/10.1002/zaac.202200065)



Planar Si_5 and Ge_5 Pentagons beside Isolated Phosphide Anions in Lithium Phosphide Tetrelides $\text{Li}_{10+x}\text{Si}_5\text{P}$ and $\text{Li}_{10+x}\text{Ge}_5\text{P}$

H. Eickhoff, W. Klein, L. Toffoletti, G. Raudaschl-Sieber, T. F. Fässler


Z. Anorg. Allg. Chem. 2022 (DOI: doi.org/10.1002/zaac.202100376)



Inverse Opal-Structured Sn and Sn/Ge Films from Soluble Zintl Clusters as Precursors

S. Geier, T. Kratky, S. Günther, T. F. Fässler


Z. Anorg. Allg. Chem. 2022 (DOI: doi.org/10.1002/zaac.202100362)



Li_5SnP_3 — a member of the series $\text{Li}_{10+4x}\text{Sn}_{2-x}\text{P}_6$ for $x = 0$ comprising the fast lithium-ion conductors Li_8SnP_4 ($x = 0.5$) and $\text{Li}_{14}\text{SnP}_6$ ($x = 1$)

S. Strangmüller, D. Müller, G. Raudaschl-Sieber, H. Kirchhain, L. van Wüllen, T. F. Fässler


Chem. Eur. J. 2022 (DOI: [10.1002/chem.202104219](https://doi.org/10.1002/chem.202104219))



Chemi-inspired silicon allotropes – experimentally accessible Si_9 cages as proposed building block for 1D polymers, 2D sheets, single-walled nanotubes, and nanoparticles

L.-A. Jantke, A. J. Karttunen, T. F. Fässler


Molecules 2021 (DOI: [10.3390/molecules27030822](https://doi.org/10.3390/molecules27030822))



Filled Trivacant Icosahedra as Building Fragments in 17-atomic Endohedral Germanides $[\text{TM}_2@\text{Ge}_{17}]^n$ (TM = Co, Ni)

C. Wallach, Y. Selic, B. J. L. Witzel, W. Klein, T. F. Fässler


Dalton Trans. 50 (2021)13671–13675 (DOI: [10.1039/d1dt03078g](https://doi.org/10.1039/d1dt03078g))



Crystal structure of (4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane-)potassium cyclopentadienide, $[\text{K}([2.2.2]\text{crypt})]\text{Cp}$, $\text{C}_{23}\text{H}_{41}\text{KN}_2\text{O}_6$

C. Fischer, W. Klein, T. F. Fässler


Z. Cryst. C. (2021), online (DOI: [10.1515/ncrs-2021-0296](https://doi.org/10.1515/ncrs-2021-0296))



Inside Front Cover: Surface-Anisotropic Janus Silicon Quantum Dots via Masking on 2D Silicon Nanosheets


M. J. Kloberg, H. Yu, E. Groß, F. Eckmann, T. M. F. Restle, T. F. Fässler, J. G. C. Veinot, B. Rieger

Adv. Mater. 33 (2021), 2170296 (DOI: [10.1002/adma.202170296](https://doi.org/10.1002/adma.202170296))




Surface-Anisotropic Janus Silicon Quantum Dots via Masking on 2D Silicon Nanosheets

M. J. Klobberg, H. Yu, E. Groß, F. Eckmann, T. M. F. Restle, T. F. Fässler, J. G. C. Veinot, B. Rieger
Adv. Mater. 33 (2021), 210028 (DOI: [10.1002/adma.202100288](https://doi.org/10.1002/adma.202100288))




Investigations on the Solubility of Sn₄-Cluster Compounds in Liquid Ammonia

W. Klein, C. B. Benda, T. Henneberger, B. J. L. Witzel, T. F. Fässler
Anorg. Allg. Chem. 647 (2021), online (DOI: [10.1002/zaac.202100239](https://doi.org/10.1002/zaac.202100239))



Allovalent substitution in phosphide-based materials - Crystal structures of Na₁₀AlTaP₆ and Na₃GaP₂ featuring edge-sharing EP₄ tetrahedra (E = Al/Ta and Ga)


T. M. F. Restle, S. Zeitz, J. Meyer, W. Klein, G. Raudaschl-Sieber, A. J. Karttunen, T. F. Fässler
Anorg. Allg. Chem. 647 (2021), online (DOI: [10.1002/zaac.202100149](https://doi.org/10.1002/zaac.202100149))



Front Cover


Dedicated to the 80th birthday of Prof. Schnöckel

Anorg. Allg. Chem. 647 (2021), online (DOI: [10.1002/zaac.202100269](https://doi.org/10.1002/zaac.202100269))




Evolving Highly Active Oxidic Iron(III) Phase from Corrosion of Intermetallic Iron Silicide to Master Efficient Electrocatalytic Water Oxidation and Selective Oxygenation of 5-Hydroxymethylfurfural

J. N. Hausmann, R. Beltrán-Suito, S. Mebs, V. Hlukhyy, T. F. Fässler, H. Dau, M. Driess, P. W. Menezes
Adv. Mater. 33 (2021) 2008823 (DOI: [10.1002/adma.202008823](https://doi.org/10.1002/adma.202008823))



Synthesis, Structure and Diffusion Pathways of Fast Lithium-Ion Conductors in the Polymorphs α - and β -Li₈SnP₄

S. Strangmüller, H. Eickhoff, W. Klein, G. Raudaschl-Sieber, H. Kirchhain, T. Kutsch, V. Baran, A. Senyshyn, L. van Wüllen, H. A. Gasteiger, T. F. Fässler
J. Mat. Chem. A, 9 (2021), 15254–15268 (DOI: [10.1039/D1TA03021C](https://doi.org/10.1039/D1TA03021C))




Intermetallic phases meet intermetalloid clusters

M. Schütz, C. Gemel, W. Klein, R. A. Fischer, T. F. Fässler
Chem. Soc. Rev. 50 (2021), 8496–8510 (DOI: [10.1039/D1CS00286D](https://doi.org/10.1039/D1CS00286D))




Molecules Meet Solids: From Wade-Mingos Clusters to Intermetalloid Clusters

W. Klein, A. Schier, T. F. Fässler
 In: *Structure and Bonding*. Springer, Berlin, Heidelberg (2021)
 (DOI: [10.1007/430_2021_82](https://doi.org/10.1007/430_2021_82))




Fast Lithium Ion Conduction in Li_9GaP_4

T. M. F. Restle, C. Sedlmeier, H. Kirchhain, W. Klein, G. Raudaschl-Sieber, L. van Wüllen, T. F. Fässler
Chem. Mater. 33 (2021), 2957–2966 (DOI: [10.1021/acs.chemmater.1c00504](https://doi.org/10.1021/acs.chemmater.1c00504))




FLP-type Nitrile Activation and Cyclic Ether Ring Opening by Halo-Borane Nonagermanide Cluster Lewis Acid-Base-Pairs

C. Wallach, F. S. Geitner, T. F. Fässler
Chem. Sci., 12 (2021) 6969–6976 (DOI: [10.1039/D1SC00811K](https://doi.org/10.1039/D1SC00811K))




On the Oxidation of $[\text{Ge}_9]^{4+}$ – Crystal Structures and Raman Spectroscopic Investigation of Linked Ge_9 Clusters

K. Mayer, W. Klein, S. Geier, T. F. Fässler
Z. Anorg. Allg. Chem. 647 (2021), 377–384 (DOI: [10.1002/zaac.202000411](https://doi.org/10.1002/zaac.202000411))




Supertetrahedral polyanionic network in the first lithium phosphidoindate Li_3InP_2 – structural similarity to Li_2SiP_2 and Li_2GeP_2 and dissimilarity to Li_3AlP_2 and Li_3GaP_2

T. M. F. Restle, V. L. Deringer, J. Meyer, G. Raudaschl-Sieber, T. F. Fässler
Chem. Sci. 12 (2021), 1278–1285 (DOI: [10.1039/D0SC05851C](https://doi.org/10.1039/D0SC05851C))



Boranyl-Functionalized $[\text{Ge}_9]$ Clusters: Providing the Idea of Intramolecular Ge/B Frustrated Lewis Pairs


C. Wallach, F. S. Geitner, A. J. Karttunen, T. F. Fässler
Angew. Chem. Int. Ed. 60 (2020), 2648–2653 (DOI: [10.1002/anie.202012336](https://doi.org/10.1002/anie.202012336))
Angew. Chem. 133 (2020), 2680–2685 (DOI: [10.1002/ange.202012336](https://doi.org/10.1002/ange.202012336))



On the Crystal Structure and Conductivity of Na_3P

H. Eickhoff, C. Dietrich, W. Klein, W. G. Zeier, T. F. Fässler


Z. Anorg. Allg. Chem. 647 (2020), 28–33 (DOI: [10.1002/zaac.202000308](https://doi.org/10.1002/zaac.202000308))



Crystal Structure and Spectroscopic Analysis of the Compatible Solute $\text{N}\gamma$ -Acetyl-L-2,4-Diaminobutyric Acid

L. Martin, W. Klein, S. P. Schwaminger, T. F. Fässler, S. Berensmeier


Crystals 10 (2020), 1136 (DOI: [10.3390/cryst10121136](https://doi.org/10.3390/cryst10121136))



Na_7TaP_4 : A Ternary Sodium Phosphidotantalate Containing $[\text{TaP}_4]^{7-}$ Tetrahedra

T. M. F. Restle, J. V. Dums, G. Raudaschl-Sieber, W. Klein, T. F. Fässler


Inorg. Chem. 59 (2020), 18420 – 18426 (DOI: [10.1021/acs.inorgchem.0c03021](https://doi.org/10.1021/acs.inorgchem.0c03021))



Cluster Expansion versus Complex Formation: Coinage Metal Coordination to Silylated $[\text{Ge}_9]$ Cages

F. S. Geitner, T. F. Fässler


Inorg. Chem. 59 (2020), 15218–15227 (DOI: [10.1021/acs.inorgchem.0c02190](https://doi.org/10.1021/acs.inorgchem.0c02190))



Mesoporous $\text{GeO}_x/\text{Ge}/\text{C}$ as Highly Reversible Anode Material with High Specific Capacity for Lithium Ion Batteries

N. Hohn, X. Wang, M. A. Giebel, S. Yin, D. Müller, A. Hetzenecker, L. Bießmann, L. P. Kreuzer, G. E. Moehl, H. Yu, J. G. C. Veinot, T. F. Fässler, Y.-J. Cheng, P. Müller-Buschbaum


ACS Appl. Mater. Interfaces 12 (2020), 47002–47009 (DOI: [10.1021/acsami.0c13560](https://doi.org/10.1021/acsami.0c13560))



$\text{Na}_2\text{Ge}_3\text{P}_3$ and $\text{Na}_5\text{Ge}_7\text{P}_5$ Comprising Heteroatomic Polyanions Mimicking the Structure of Fibrous Red Phosphorus

H. Eickhoff, V. Hlukhyy, T. F. Fässler


Z. Anorg. Allg. Chem. 646 (2020), 1834–1838 (DOI: [10.1002/zaac.202000316](https://doi.org/10.1002/zaac.202000316))



Extracting $[Pd@Sn_9]^{4-}$ and $[Rh@Pb_9]^{4-}$ Clusters from their Binary Alloys Using “Metal Scissors”

M. Boyko, V. Hlukhyy, H. Jin, J. V. Dums, T. F. Fässler

Z. Anorg. Allg. Chem. 646 (2020), 1575–158 (DOI: [10.1002/zaac.202000061](https://doi.org/10.1002/zaac.202000061))




Modifying the Properties of Fast Lithium-Ion Conductors—The Lithium Phosphidotetrelates $Li_{14}SiP_6$, $Li_{14}GeP_6$, and $Li_{14}SnP_6$

S. Strangmüller, H. Eickhoff, G. Raudaschl-Sieber, H. Kirchhain, C. Sedlmeier,

L. van Wüllen, H. A. Gasteiger, T. F. Fässler

Chem. Mater. 32 (2020), 6925–6934 (DOI: [10.1021/acs.chemmater.0c02052](https://doi.org/10.1021/acs.chemmater.0c02052))




Contrasting Structure and Bonding of a Copper-Rich and a Zinc-Rich Intermetallic Cu/Zn Cluster

M. Schütz, M. Muhr, K. Freitag, C. Gemel, S. Kahlal, J.-Y. Saillard,

A. C. H. Da Silva, J. L. F. Da Silva, T. F. Fässler, R. A. Fischer


Inorg. Chem. 59 (2020), 9077–9085 (DOI: [10.1021/acs.inorgchem.0c00943](https://doi.org/10.1021/acs.inorgchem.0c00943))



The Intermetallic Type-I Clathrate $Na_8Zn_4Ge_{42}$

S. Stegmaier, V. Hlukhyy, T. F. Fässler


Z. Anorg. Allg. Chem. 646 (2020), 1073–1078 (DOI: [10.1002/zaac.201900253](https://doi.org/10.1002/zaac.201900253))



Inside front cover: Intermediates and Products of the Reaction of Zn(II) Organyls with Tetrel Element Zintl Ions: Cluster Extension versus Complexation

C. Wallach, K. Mayer, T. Henneberger, W. Klein, T. F. Fässler

Dalt. Trans. 49 (2020), 6148–6148 (DOI: [10.1039/D0DT90093A](https://doi.org/10.1039/D0DT90093A))



Intermediates and Products of the Reaction of Zn(II) Organyls with Tetrel Element Zintl Ions: Cluster Extension versus Complexation


C. Wallach, K. Mayer, T. Henneberger, W. Klein, T. F. Fässler

Dalt. Trans. 49 (2020), 6191–6198 (DOI: [10.1039/D0DT01096K](https://doi.org/10.1039/D0DT01096K))




Cover Picture: Synthesis, Structure, Solid State NMR Spectroscopy, and Electronic Structures of the Phosphidotrirelates Li_3AlP_2 and Li_3GaP_2

T. M. F. Restle, J. V. Dums, G. Raudaschl-Sieber, T. F. Fässler
Chem. Eur. J. 26 (2020), 6737–6737 (DOI: [10.1002/chem.202001592](https://doi.org/10.1002/chem.202001592))



Synthesis, Structure, Solid State NMR Spectroscopy, and Electronic Structures of the Phosphidotrirelates Li_3AlP_2 and Li_3GaP_2

T. M. F. Restle, J. V. Dums, G. Raudaschl-Sieber, T. F. Fässler
Chem. Eur. J. 26 (2020), 6812–6819 (DOI: [10.1002/chem.202000482](https://doi.org/10.1002/chem.202000482))




Lösemittel-induzierter Halbleiter-Metall-Übergang: Planare $\infty[\text{Bi}^{1-}]$ -Zickzack-Ketten im metallischen $\text{KBi} \cdot \text{NH}_3$ im Vergleich zu $\infty[\text{Bi}^{1-}]$ -Helices im halbleitenden KBi

K. Mayer, J. V. Dums, C. B. Benda, W. Klein, T. F. Fässler
Angew. Chem. 132 (2020), 6866–6871 (DOI: [10.1002/ange.201915735](https://doi.org/10.1002/ange.201915735))


Solvate-Induced Metallization: Flat $\infty[\text{Bi}^{1-}]$ Zigzag Chains in Metallic $\text{KBi} \cdot \text{NH}_3$ versus $\infty[\text{Bi}^{1-}]$ Helices in Semiconducting KBi

Angew. Chem. Int. Ed. 59 (2020), 6800–6805 (DOI: [10.1002/anie.201915735](https://doi.org/10.1002/anie.201915735))




$\text{K}_{10}\text{Ga}_3\text{Bi}_{6.65}$ – The First Compound in the Ternary A-Ga-Bi System Comprising Cyclic Tris-meta Borate-Analogous $[\text{Ga}_3\text{Bi}_6]^{9-}$ Units and Bi_2 Dumbbells

M. Boyko, V. Hlukhyy, T. F. Fässler
Z. Anorg. Allg. Chem. 646 (2020), 659–664 (DOI: [10.1002/zaac.201900292](https://doi.org/10.1002/zaac.201900292))




Frontispiz: Fast Lithium Ion Conduction in Lithium Phosphidoaluminates

T. M. F. Restle, C. Sedlmeier, H. Kirchhain, W. Klein, G. Raudaschl-Sieber, V. L. Deringer, L. van Wüllen, H. A. Gasteiger, T. F. Fässler
Angew. Chem. Int. Ed. 59 (2020), 5665 (DOI: [10.1002/anie.202081462](https://doi.org/10.1002/anie.202081462))
Angew. Chem. 132 (2020), 5714 (DOI: [10.1002/ange.202081462](https://doi.org/10.1002/ange.202081462))



Fast Lithium Ion Conduction in Lithium Phosphidoaluminates

T. M. F. Restle, C. Sedlmeier, H. Kirchhain, W. Klein, G. Raudaschl-Sieber, V. L. Deringer, L. van Wüllen, H. A. Gasteiger, T. F. Fässler
Angew. Chem. Int. Ed. 59 (2019), 5665–5674 (DOI: [10.1002/anie.201914613](https://doi.org/10.1002/anie.201914613))
Angew. Chem. 132 (2019), 5714–5723 (DOI: [10.1002/ange.201914613](https://doi.org/10.1002/ange.201914613))



Li vs. Zn substitution in $\text{Li}_{17}\text{Si}_4$ – $\text{Li}_{17-\epsilon-\delta}\text{Zn}_6\text{Si}_4$ connecting the structures of $\text{Li}_{21}\text{Si}_5$ and $\text{Li}_{17}\text{Si}_4$

V. Baran, T. F. Fässler


Z. Naturforsch. B 75 (2020), 91–96 (DOI: [10.1515/znB-2019-0157](https://doi.org/10.1515/znB-2019-0157))



Cover Feature: Polyanionic Frameworks in the Lithium Phosphidogermanates Li_2GeP_2 and LiGe_3P_3 – Synthesis, Structure, and Lithium Ion Mobility (*Z. Anorg. Allg. Chem.* 3/2020)

H. Eickhoff, C. Sedlmeier, W. Klein, G. Raudaschl-Sieber, H. A. Gasteiger, T. F. Fässler


Z. Anorg. Allg. Chem. 646 (2020), 79 (DOI: [10.1002/zaac.202070033](https://doi.org/10.1002/zaac.202070033))



Polyanionic Frameworks in the Lithium Phosphidogermanates Li_2GeP_2 and LiGe_3P_3 – Synthesis, Structure, and Lithium Ion Mobility

H. Eickhoff, C. Sedlmeier, W. Klein, G. Raudaschl-Sieber, H. A. Gasteiger, T. F. Fässler


Z. Anorg. Allg. Chem. 646 (2020), 95–102 (DOI: [10.1002/zaac.201900228](https://doi.org/10.1002/zaac.201900228))



Rapid crystallization and Kinetic Freezing of Site-Disorder in the Lithium Superionic Argyrodite $\text{Li}_6\text{PS}_5\text{Br}$

A. Gautam, M. Sadowski, N. Prinz, H. Eickhoff, N. Minafra, M. Ghidui, S. P. Culver, K. Albe, T. F. Fässler, M. Zobel, W. G. Zeier


Chem. Mater. 31 (2019), 10178–10185 (DOI: [10.1021/acs.chemmater.9b03852](https://doi.org/10.1021/acs.chemmater.9b03852))



Zinc as a Versatile Connecting Atom for Zintl Cluster Oligomers

K. Mayer, W. Klein, T. F. Fässler


Chem. Commun. 55 (2019), 12156–12159 (DOI: [10.1039/C9CC06388A](https://doi.org/10.1039/C9CC06388A))



Early-Transition-Metal Complexes of Functionalized Nonagermanide Clusters: Synthesis and Characterization of $[\text{Cp}_2(\text{MeCN})\text{Ti}(\eta^1\text{-Ge}_9\{\text{Si}(\text{TMS})_3\}_3)]$ and $\text{K}_3[\text{Cp}_2\text{Ti}(\eta^1\text{-Ge}_9\{\text{Si}(\text{TMS})_3\}_2)_2]$

F. S. Geitner, W. Klein, O. Storcheva, T. D. Tilley, T. F. Fässler


Inorg. Chem. 58 (2019), 13293–13298 (DOI: [10.1021/acs.inorgchem.9b02158](https://doi.org/10.1021/acs.inorgchem.9b02158))



Silicon clusters with six and seven unsubstituted vertices via a two-step reaction from elemental silicon


L. J. Schiegerl, A. J. Karttunen, W. Klein, T. F. Fässler

Chem. Sci. 10 (2019), 9130–9139 (DOI: [10.1039/C9SC03324F](https://doi.org/10.1039/C9SC03324F))




Crystal structure of (1,4,7,10,13,16-hexaoxacyclooctadecane- $\kappa^6\text{O}_6$) 1,2,3,4,5-pentamethyl-cyclopenta-2,4-dien-1-yl(potassium, rubidium) — ammonia (1/2), $[\text{K}_{0.3}\text{Rb}_{0.7}(18\text{-crown-6})]\text{Cp}^* \cdot 2 \text{NH}_3$, $\text{C}_{22}\text{H}_{45}\text{K}_{0.3}\text{N}_2\text{O}_6\text{Rb}_{0.7}$

T. Henneberger, W. Klein, T. F. Fässler
Z. Kristallogr. – New Cryst. Struct. 234 (2019), 1241–1243
(DOI: [10.1515/ncrs-2019-0368](https://doi.org/10.1515/ncrs-2019-0368))




Fast Ionic Conductivity in the Most Lithium-Rich Phosphidosilicate $\text{Li}_{14}\text{SiP}_6$
S. Strangmüller, H. Eickhoff, D. Müller, W. Klein, G. Raudaschl-Sieber,
H. Kirchhain, C. Sedlmeier, V. Baran, A. Senyshyn, V. L. Deringer, L. van Wüllen,
H. A. Gasteiger, T. F. Fässler
J. Am. Chem. Soc. 141 (2019), 14200–14209 (DOI: [10.1021/jacs.9b05301](https://doi.org/10.1021/jacs.9b05301))




Metallo-Käfige für Metall-Anionen: Hochgeladene $[\text{Co}@\text{Ge}_9]^{5-}$ - und $[\text{Ru}@\text{Sn}_9]^{6-}$ -Cluster mit sphärisch eingelagerten Co^- - und Ru^{2-} -Anionen
B. J. L. Witzel, W. Klein, J. V. Dums, M. Boyko, T. F. Fässler
Angew. Chem. 131 (2019), 13040–13045 (DOI: [10.1002/ange.201907127](https://doi.org/10.1002/ange.201907127))


Metallocages for Metal Anions: Highly Charged $[\text{Co}@\text{Ge}_9]^{5-}$ and $[\text{Ru}@\text{Sn}_9]^{6-}$ Clusters Featuring Spherically Encapsulated Co^{1-} and Ru^{2-} Anions
Angew. Chem. Int. Ed. 58 (2019), 12908–12913 (DOI: [10.1002/anie.201907127](https://doi.org/10.1002/anie.201907127))




Enhancing the Variability of $[\text{Ge}_9]$ Cluster Chemistry through Phosphine Functionalization
C. Wallach, F. S. Geitner, W. Klein, T. F. Fässler
Chem. Eur. J. 25 (2019), 12349–12356 (DOI: [10.1002/chem.201901673](https://doi.org/10.1002/chem.201901673))




The Reaction of Ethylenediamine with 1,4-Bis(trimethylsilyl)butadiyne and the Role of Water: A Qualitative Method for the Determination of Water Impurities in Ethylenediamine
S. Frischhut, M. Bentlohner, T. F. Fässler
Eur. J. Org. Chem. 20 (2019), 3101–3104 (DOI: [10.1002/ejoc.201900200](https://doi.org/10.1002/ejoc.201900200))



Amphiphilic diblock copolymer-mediated structure control in nanoporous germanium-based thin films
N. Hohn, A. E. Hetzenecker, M. A. Giebel, S. Geier, L. Bießmann, V. Körstgens,
N. Saxena, J. Schlipf, W. Ohm, P. S. Deimel, F. Allegretti, J. V. Barth, S. V. Roth,
T. F. Fässler, P. Müller-Buschbaum
Nanoscale 11 (2019), 2048–2055 (DOI: [10.1039/C8NR09427F](https://doi.org/10.1039/C8NR09427F))



Silylated Ge_9 Clusters as New Ligands for Cyclic (Alkyl)amino and Mesoionic Carbene Copper Complexes
L. J. Schiegerl, M. Melaimi, D. R. Tolentino, W. Klein, G. Bertrand, T. F. Fässler
Inorg. Chem. 58 (2019), 3256–2364 (DOI: [10.1021/acs.inorgchem.8b03338](https://doi.org/10.1021/acs.inorgchem.8b03338))



Crystal structure of [(1,2- η)-1,2,3,4,5-pentamethyl-cyclopenta-2,4-dien-1-yl] (1,4,10,13-tetraoxa-7,16-diazacyclooctadecane- κ^6 N₂,O₄) rubidium (I), [Rb(diaza-18-crown-6)]Cp*, C₂₂H₄₁N₂O₄Rb

T. Henneberger, W. Klein, T. F. Fässler

Z. Kristallogr. – New Cryst. Struct. 234 (2019), 165–167

(DOI: [10.1515/ncrs-2018-0252](https://doi.org/10.1515/ncrs-2018-0252))